

LEE Filters

ProGlass IRND

Exposure Guide

ProGlass IRND

Exposure Guide - 0.6ND (2 stop)

| Normal Shutter Speed | With 0.6ND (2 stop) |
|----------------------|---------------------|
| 1/2000 second | 1/500second |
| 1/1000 second | 1/250 second |
| 1/500 second | 1/125 second |
| 1/250 second | 1/60 second |
| 1/125 second | 1/30 second |
| 1/60 second | 1/15 second |
| 1/30 second | 1/8 second |

| Normal Shutter Speed | With 0.6ND (2 stop) |
|----------------------|---------------------|
| 1/15 second | 1/4 second |
| 1/8 second | 1/2 second |
| 1/4 second | 1 second |
| 1/2 second | 2 seconds |
| 1 second | 4 seconds |
| 2 seconds | 8 seconds |

ProGlass IRND

Exposure Guide - 0.9ND (3 stop)

| Normal Shutter Speed | With 0.9ND (3 stop) |
|----------------------|---------------------|
| 1/2000 second | 1/250 second |
| 1/1000 second | 1/125 second |
| 1/500 second | 1/60 second |
| 1/250 second | 1/30 second |
| 1/125 second | 1/15 second |
| 1/60 second | 1/8 second |
| 1/30 second | 1/4 second |

| Normal Shutter Speed | With 0.9ND (3 stop) |
|----------------------|---------------------|
| 1/15 second | 1/2 second |
| 1/8 second | 1 second |
| 1/4 second | 2 seconds |
| 1/2 second | 4 seconds |
| 1 second | 8 seconds |
| 2 seconds | 15 seconds |

ProGlass IRND

Exposure Guide - 1.2ND (4 stop)

| Normal Shutter Speed | With 1.2ND (4 stop) |
|----------------------|---------------------|
| 1/2000 second | 1/125 second |
| 1/1000 second | 1/60 second |
| 1/500 second | 1/30 second |
| 1/250 second | 1/15 second |
| 1/125 second | 1/8 second |
| 1/60 second | 1/4 second |
| 1/30 second | 1/2 second |

| Normal Shutter Speed | With 1.2ND (4 stop) |
|----------------------|---------------------|
| 1/15 second | 1 second |
| 1/8 second | 2 seconds |
| 1/4 second | 4 seconds |
| 1/2 second | 8 seconds |
| 1 second | 15 seconds |
| 2 seconds | 30 seconds |

ProGlass IRND

Exposure Guide - 1.8ND (6 stop)

| Normal Shutter Speed | With 1.8ND (6 stop) |
|----------------------|---------------------|
| 1/2000 second | 1/30 second |
| 1/1000 second | 1/15 second |
| 1/500 second | 1/8 second |
| 1/250 second | 1/4 second |
| 1/125 second | 1/2 second |
| 1/60 second | 1 second |
| 1/30 second | 2 seconds |

| Normal Shutter Speed | With 1.8ND (6 stop) |
|----------------------|---------------------|
| 1/15 second | 4 seconds |
| 1/8 second | 8 seconds |
| 1/4 second | 15 seconds |
| 1/2 second | 30 seconds |
| 1 second | 1 minute |
| 2 seconds | 2 minutes |

ProGlass IRND

Exposure Guide - 3.0ND (10 stop)

| Normal Shutter Speed | With 3.0ND (10 stop) |
|----------------------|----------------------|
| 1/2000 second | 1/2 second |
| 1/1000 second | 1 second |
| 1/500 second | 2 seconds |
| 1/250 second | 4 seconds |
| 1/125 second | 8 seconds |
| 1/60 second | 15 seconds |
| 1/30 second | 30 seconds |

| Normal Shutter Speed | With 3.0ND (10 stop) |
|----------------------|----------------------|
| 1/15 second | 1 minute |
| 1/8 second | 2 minutes |
| 1/4 second | 4 minutes |
| 1/2 second | 8 minutes |
| 1 second | 16 minutes |
| 2 seconds | 32 minutes |

ProGlass IRND

Exposure Guide - 4.5ND (15 stop)

| Normal Shutter Speed | With 4.5ND (15 stop) |
|----------------------|----------------------|
| 1/2000 second | 15 seconds |
| 1/1000 second | 30 seconds |
| 1/500 second | 1 minute |
| 1/250 second | 2 minutes |
| 1/125 second | 4 minutes |
| 1/60 second | 8 minutes |
| 1/30 second | 16 minutes |

| Normal Shutter Speed | With 4.5ND (15 stop) |
|----------------------|----------------------|
| 1/15 second | 32 minutes |
| 1/8 second | 1 hour, 4 mins |
| 1/4 second | 2 hours, 8 mins |
| 1/2 second | 4 hours, 16 mins |
| 1 second | 8 hours, 32 mins |
| 2 seconds | 17 hours, 4 mins |

LEE Filters

A PANAVISION COMPANY

www.leefilters.com